




BIBLIOTECA
CENTRALĂ
UNIVERSITARĂ
„MIHAI EMINESCU”
IASI



Str. Păcurari, nr. 4, 700511, Iași ☎ 0232 264 245 / fax: 0222 261 736 ✉ bcuis@bcu-iasi.ro 🌐 www.bcu-iasi.ro

BIBLIOTECA CENTRALĂ
UNIVERSITARĂ "M. EMINESCU" IAȘI
Nr. de înregistrare 1491
Ziua 30 luna 05 anul 2019

Aprob,
Conf. univ. dr. Ioan Milică



INVITAȚIE DE PARTICIPARE

BIBLIOTECA CENTRALĂ UNIVERSITARĂ „MIHAI EMINESCU” – Iași invită operatorii economici interesați să depună oferte pentru atribuirea contractului de achiziție publică ” **Sistem sonorizare Mixer 16 canale, Boxe: 2x CTM 3FM-BK, 2 x 118P, 2 X BS-2001 S MK II, 2 x 12P, Boxe monitor scenă, FM10 -2 bucăți, Cablu multicore, 2 x Microfon wireless cu accesorii”.**

Valoarea maximă estimată a achiziției – 30.000 lei, cu TVA.

1. Informații generale:

1.1 Achizitor

Biblioteca Centrală Universitară „Mihai Eminescu” – Iași, Str. Păcurari nr.4, Iași,

Telefon: 0232 264 245,



Email: bcumeminescu@gmail.com,

Responsabil achiziție: Mariana Zepca

1.2 Configurație sistem sonorizare:

Mixer digital pentru Live și Studio x 1 bucată:

- 16 Mono inputs via XLR or jack with AnalogIQ preamps;
- 3 Stereo inputs via jack;
- 4 Stereo FX returns;
- 16 Busses;
- 12 Mix outputs: LR, Mono Mix 1-4, Stereo Mix 1-3;
- AES Digital output;
- 4 FX Engines with iLive FX library;
- 4 Mute groups;
- Motor fader;
- Trim, polarity, low cut, gate, insert, 4-band parametric EQ, compressor and delay on all inputs;
- Insert, 4-band parametric EQ, graphic EQ, compressor and delay for main LR and mono mix outputs;
- Qu-Drive: Multitrack recording / playback direct to / from USB drive or hard drive;
- Touchscreen 800 x 480;
- Built-in signal generator;



- dSNAKE Remote Audio Port;
- USB Audio streaming;
- Compatible with ME Personal Mixing System;
- DAW MIDI Control;
- Dimensions: 440 x 500 x 186 mm;
- Weight: 10 kg;
- New firmware version 1.9: Pro Factory microphone presets from Audio-Technica, Sennheiser und Shure, DAW control for Windows, new QU-Control App.

Subwoofer activ 18 " x 2 bucăți cu următoarele caracteristici:

- Active subwoofer 18";
- Frequency range 32Hz - 130 Hz;
- 134 dB Max;
- 700 Watt Class-D Power amplifier;
- XLR/Line combo inputs;
- Link output (XLR) ;
- Stand mount flange;
- Dimensions 661 x 507 x 574 mm;
- Weight 31,7 kg.

Cablu profesional pentru microfon x 2 bucăți:


- Length: 3 m;
- XLR female -> XLR male;
- Neutrik connectors;
- Colour: Black.

Distance Rod x 2 bucăți:

- For satellite systems;
- Made of metal;
- Height adjustable: approx. 935 - 1485 mm;
- Colour: Black;
- Diameter: 35 mm;
- Weight: 2.4 kg.

Boxe active cu rază de acțiune x 2 bucăți:

- Equipped with: 12" Woofer and 1.5" compression driver;
- Power: 1000 W peak, 250 W continuous power;
- Class D amplifier;
- Built-in DSP with Display;



- Dispersion angle: 90° x 60°;
- Frequency range: 55 - 20,000 Hz;
- Maximum level: 125 dB;
- 2 Microphone / line XLR / jack combo inputs;
- XLR output;
- Polypropylene plastic housing;
- Dimensions (H x W x D): 610 x 356 x 356 mm;
- Weight: 15.6 kg;

Active Speaker (boxe monitor) x 2 bucăți:

- Active 2-way coaxial monitor system;
- Equipped with: 1x 10" and 1x 1";
- Dispersion pattern: 60° x 60° CD horn;
- Power: 160 + 40W/ RMS digipack;
- Connections: line/ mic input/ XLR;
- Frequency range: 70 Hz - 20 kHz;
- Peak SPL: 120 dB;
- With FRFR - full range flat response;
- High-quality housing;
- Dimensions: 370 x 290 x 410 mm;
- Weight: 12.8 kg;
- Colour: Black.

Microfon wireless UHF x 2 bucăți:

- With SKM 100 G4-S handheld transmitter with mute switch and E835 replaceable;
- Frequency range: E-band (823 - 865 MHz);
- Dynamic;
- Polar pattern: Cardioid. 9.5" Receiver EW 100 G4 9.5"
- 42 MHz bandwidth;
- 20 Frequency banks with up to 12 presets for each;
- Up to 20 compatible channels;
- Fast frequency allocation for up to 12 recipients via link function with RJ10 connection;
- Frequency response 25 - 18,000 Hz;
- Frequency transmission via infrared interface;
- Handheld transmitter with charging contacts for optional battery BA 2015 (NiMH);
- Pilot tone;
- Autotune to find free frequencies;
- Integrated EQ;
- Audio gain over 60 dB range;
- Soundcheck mode;
- 4-Digit battery indicator on transmitter and receiver;
- HDX compander;
- LCD with AF level and channel display;

- 10 mW transmitter power;
- 2 BNC antenna connectors;
- XLR male balanced and jack unbalanced;
- Power supply 10.5 - 16 V DC;
- Includes GA 3 rackmount, RJ10 connection cable, microphone holder, NT2 power adapter and 2 AA batteries.

Stage box x 1 bucată

- Stage box has 16 XLR female + 4 XLR male sockets;
- Cable diameter: 15 mm;
- Dimensions of the stage box (without rubber feet or cable retainer): 33,5 x 18 x 7 cm;
- Length: 30 m;
- Weight: 9.5 kg.

Multicore Bag

- Fits Multicore Cordial 20/4, 24/4 or similar multicores;
- 2 Sturdy handles;
- Shoulder strap;
- Pouch for accessories;
- Interior dimensions: 580 x 420 x 190 mm;
- Colour: Black.

1.3 Publicarea invitației de participare:

- <http://www.bcu-iasi.ro/achizitii-publice>

1.4 Criteriul de atribuire:

Prețul cel mai scăzut, cu respectarea caracteristicilor tehnice solicitate.

1.5 Depunerea ofertelor

Oferta va fi depusă la sediul **Bibliotecii Centrale Universitare "Mihai Eminescu" Iași**, din Strada Păcurari nr. 4, cod postal 700511, Mun. Iași, România până la data de 07.06.2019, ora 12:00 sau prin mail bcumeminescu@gmail.com.

Oferta va cuprinde livrarea produselor solicitate instalarea, punerea în funcțiune la cheie, teste și garanție la sediul beneficiarului de minim 36 luni.

Oferta va fi exprimată în lei și va avea o valabilitate de minim 60 zile. Plata se va efectua în termen de 30 zile, de la recepția finală în contul de Trezorerie al furnizorului.

Acceptarea ofertei câștigătoare va fi făcută printr-un anunț de atribuire pe site-ul instituției (<http://www.bcu-iasi.ro/achizitii-publice>), în data de 10.06.2019, ora 14:00.

Întocmit,
Mariana Zepca

